Introduced and amended by the Transportation, Energy and Utilities Committee:

3

1

2

4

5

Ū

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20 21

22

23 24

25

2627

28 29

30

31

ORDINANCE 2019-490-E

AN ORDINANCE ESTABLISHING RYALS CREEK COMMUNITY DEVELOPMENT DISTRICT ("RYALS CREEK CDD"); DESCRIBING THE EXTERNAL BOUNDARIES OF CDD; NAMING RYALS CREEK CDD; NAMING THE INITIAL RYALS CREEK CDD BOARD OF SUPERVISORS; AMENDING CHAPTER 92 (UNIFORM COMMUNITY DEVELOPMENT DISTRICTS), ORDINANCE CODE. SECTION 92.22 (EXISTING COMMUNITY DEVELOPMENT DISTRICTS) TO INCLUDE RYALS CREEK CDD; PROVIDING FOR CONFLICT AND SEVERABILITY; PROVIDING AN EFFECTIVE DATE.

WHEREAS, Sawmill Timber, LLC, a Florida limited liability corporation, petitioned the City Council to establish a community development district named Ryals Creek Community Development District (the "Ryals Creek CDD") on approximately 417.68 acres lying wholly within the boundaries of the City pursuant to Section 190.005(2), F.S., and Chapter 92, Ordinance Code, a copy of the Second Amended & Restated Petition to Establish Ryals Creek CDD ("Petition") is Revised On File, labeled as "Revised On File TEU - August 19, 2019" with the Legislative Services Division; and

WHEREAS, as required by Section 92.07, Ordinance Code, the Office of General Counsel ("Counsel") has reviewed the Petition, and finding that it was sufficient and complete to permit the fair and informed consideration of the matter by the Council, has prepared and submitted its Final Report of Counsel, attached hereto

1

2 3

4

5 6 7

8

9 10

11

12

13 14

15

16

17

18

19 20

21

22

23

24

25

26

27

28

29

30

31

as Exhibit 1; and

WHEREAS, the Planning and Development Department has provided its report and recommendation regarding the Petition to Transportation, Energy and Utilities Committee; and

Petitioner acknowledges that nothing about WHEREAS, adoption of this Ordinance shall in any way waive any of the City's, or any other governing or regulatory entities' rights to grant or not grant entitlements for the development to be serviced by Ryals Creek (the "Development"), or otherwise prejudice the City's, or any other governing or regulatory entities', ability to govern or regulate the planning or permitting of the Development; and

WHEREAS, Counsel has determined the Petition adequately meets the requirements of Section 190.005, F.S. and Section 92.04, Ordinance Code, and is therefore complete and sufficient to permit fair and informed review thereof; and

WHEREAS, all notice requirements of Ch. 190, F.S., Section 92.11, Ordinance Code, and other applicable laws were complied with, complete notice was timely given, and a public hearing held on the date and time noticed and conducted thereafter in compliance with Ch. 190, F.S. and all applicable laws; and

WHEREAS, in making its fair and informed determination whether to grant or deny the Petition, the Council has considered the Petition in light of the record developed at the public hearing and in relation to the six factors set forth in Section 190.005(1)(e), F.S., now, therefore

BE IT ORDAINED by the Council of the City of Jacksonville:

Section 1. Name. A community development district hereby established within the City to be known hereafter as Ryals Creek Community Development District.

Section 2. Boundaries. The boundaries of Ryals Creek

20 |

Community Development District established by this ordinance are as set forth in the legal description contained in the Petition to Establish Ryals Creek Community Development District ("Petition") which is Revised On File, labeled as "Revised On File TEU - August 19, 2019" with the Legislative Services Division. The legal description and boundary sketch found within the Petition are attached hereto as Revised Exhibit 2, labeled as "Revised Exhibit 2, Rev Legal Description TEU - August 19, 2019".

Section 3. Board of Supervisors. The following five persons, as set forth in the Petition, are designated to be the initial members of the governing Board of Supervisors ("Board") of Ryals Creek Community Development District:

- a. Arthur Chester Skinner, III
- b. Christopher John Eyrick
- c. Jan Malcolm Jones, III
- d. Clayton Riley Skinner
- e. Lee Vaughn Webb, Jr.

Section 4. Amending Chapter 92 (Uniform Community Development Districts), Section 92.22 (Existing Community Development Districts), Ordinance Code. Section 92.22, Ordinance Code, is hereby amended to read as follows:

Sec. 92.22. - Existing Community Development Districts.

The following CDDs have been established in the City:

(1) Bainebridge Community Development District. The
Bainebridge Community Development District was
established in Ordinance 2005-1417-E. The City granted
consent to the Bainebridge Community Development District
to exercise special powers related to parks and
facilities for indoor and outdoor recreational, cultural
and educational uses in Ordinance 2006-592-E.

(20) Ryals Creek Community Development District. Ryals Creek

Community Development District was established in

Ordinance 2019-490-E.

Section 5. Conflict and Severability. Any portion of this ordinance determined finally by a court of competent jurisdiction to be in conflict with prevailing law shall not be effective to the extent of such conflict, and shall be deemed severable and the remainder shall continue in full force and effect to the extent legally possible.

Section 6. Effective Date. This ordinance shall become effective upon signature by the Mayor or upon becoming law without the Mayor's signature.

Form Approved:

Office of General Counsel

Legislation Prepared By: Susan C. Grandin

GC-#1301868-v1-2019-490-E.doc

OFFICE OF GENERAL COUNSEL CITY OF JACKSONVILLE

JASON R. GABRIEL*
GENERAL COUNSEL

KAREN M. CHASTAIN DERRIEL Q. CHATMON JEFFERY C. CLOSE JULIA B. DAVIS STEPHEN M. DURDEN SHANNON K. ELLER CRARG D. FEISER Geneer L. France, Jr. LORGE L. PRESCH CHRISTOPHER GARRETT KVI & GAVIN SEAN B. GRANAT SUSAN C GRANDIN KATY A HARKIS MIRIAM R HILL LAWSINIA I HORRES SONYA HARRELL HOLNER PARCE HOBBS TORINSTON EMERSON LOTZ A RELAM MAIRS



CITY HALL, ST. JAMES BUILDING 117 WEST DUVAL STREET, SUITE 480 JACKSONVILLE, FLORIDA 32202

JAMES R. MCCAIN, JR. WENDY L. MUMMAW KELLY H. PAPA KORT PARIS JACOB J. PAYNE THEINY DOUGLAS PINKSTAIN JON R. PHILLIPS CHERRY SHAW POLLOCK STEPHEN J. POWELL. LYNNEC. RHODE ASHLEY B. RUTHERFORD R. ANTHONY SALEM JOHN C. SAWYER, JR. MARGARET M. SIDMAN JASON R. TLAI. ADINA TEORORESCU KLALLY WEST STANLLY M. WESTON GABY YOUNG

*BOARD CERTIFIED CITY, COUNTY
AND LOCAL GOVERNMENT LAW

July 16, 2019

Katie S. Buchanan, Esq. Hopping Green & Sams, P.A. 119 South Monroe Street, Suite 300 Tallahassee, Florida 32301

RE:

Office of General Counsel Final Report

On the Petition to Establish the Ryals Creek Community Development District

Dear Ms. Buchanan:

The Office of General Counsel ("Counsel"), pursuant to Section 92.07, Ordinance Code, has completed its review of the Amended Petition to Establish the Ryals Creek Community Development District (the "Petition"), submitted July 16, 2019. Counsel has determined that the Petition is now sufficient and complete to permit the fair and informed consideration of the matter by the City Council.

This Final Report will be forwarded to the Planning and Development Department for their use in drafting a Department report and recommendation. All the statements contained in the Petition not intended to be disposed of by the Department report and recommendation are true and correct, and the Petition is not contrary to any provision of applicable general or special law or the City Charter.

We anticipate that the legislation to move this Petition forward will be introduced at the City Council meeting on July 23, 2019. In your notice regarding the Petition that is to run for four consecutive weeks prior to the Council public hearing, based on the Introduction date of July 23, 2019, the public hearing required before the full Council should be noticed as August 27, 2019. The

July 16, 2019 Page 2

various Committees of Council to which it will be assigned are not yet known, but the week of August 19th will be when the Committee(s) will take up this bill. You are not required to include these Committee public meetings in your notice. After reviewing and approving your form of notice, I can insert the ordinance number and provide the draft to the Legislative Services Division for publication. Please provide that office with the proof of publication.


Sincerely,

Susan C. Grandin

Assistant General Counsel

cc: William Killingsworth, Director, Planning and Development Department Kristen Reed, Planning and Development Department Shannon K. Eller, Chief, Land Use Division Jason Teal, Deputy General Counsel

GC-#1293504-v2-Ryals Creek CDD Final Report_of_Counsel.docx



Revised July 19, 2019 April 30, 2019 Page 1 of 4

Work Order No. 19-078.01 File No. 125D-17.01A

Ryals Creek CDD

A portion of Sections 8, 9, 16, and 17, Township 3 South, Range 28 East, Duval County, Florida, being a portion of those lands described and recorded in Official Records Book 17036, page 2398, of the current Public Records of said county, being more particularly described as follows:

For a Point of Reference, commence at the Southeasterly corner of said Section 17, thence South 88°15'27" West, along the Southerly line of said Section 17, a distance of 268.53 feet; thence North 01°44'33" West, departing said Southerly line, 141.57 feet; thence North 85°41'13" West, 241.67 feet to the point of curvature of a curve concave Southerly having a radius of 2000.00 feet; thence Westerly along the arc of said curve, through a central angle of 06°08'51", an arc length of 214.59 feet to the Point of Beginning, said arc being subtended by a chord bearing and distance of North 88°45'39" West, 214.48 feet.

From said Point of Beginning, thence Westerly along the arc of a curve concave Southerly having a radius of 2000.00 feet, through a central angle of 03°51'50", an arc length of 134.87 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of South 86°14'01" West, 134.85 feet; thence South 84°18'06" West, 507.68 feet; thence South 89°03'07" West, 434.31 feet to the point of curvature of a curve concave Northeasterly having a radius of 40.00 feet; thence Northwesterly along the arc of said curve, through a central angle of 89°24'49", an arc length of 62.42 feet to a point on said curve, said arc being subtended by a chord bearing and distance of North 46°14'29" West, 56.28 feet; thence South 88°46'17" West, 47.48 feet; thence South 01°13'43" East, 75.04 feet to a point lying on the Northerly right of way line of Gate Parkway, a variable width right of way as depicted on Baymeadows Road East, recorded in Plat Book 54, pages 9, 9A through 9N, of said current Public Records; thence Southwesterly, along said Northerly right of way line the following 3 courses: Course 1, thence South 88°15'27" West, 140.01 feet; Course 2, thence South 43°15'27" West, 39.60 feet; Course 3, thence South 88°15'27" West, 374.42 feet to a point lying on the Easterly limited access right of way line of State Road 9A, a variable width limited access right of way line as depicted on Florida Department of Transportation Right of Way Map Section 72002-2534; thence North 01°44'38" West, along said Easterly limited access right of way line, 17.89 feet; thence South 88°15'30" West, continuing along said Easterly limited access right of way line, 134.06 feet to the Southeasterly corner of Parcel No. 101, as described and recorded in Official Records Book 17341, page 1301, of said current Public Records; thence North 09°20'03" West, departing said Easterly Limited access right of way line and along the Easterly line of said Parcel No. 101, a distance of 698.72 feet to the

Revised July 19, 2019 April 30, 2019 Page 2 of 4

Work Order No. 19-078.01 File No. 125D-17.01A

Ryals Creek CDD (Continued)

Northeasterly corner thereof; thence South 82°43'21" West, along the Northerly line of last said lands, 163.01 feet to the Northwesterly corner thereof, said corner lying on said Easterly limited access right of way line of State Road 9A; thence Northerly, along said Easterly limited access right of way line the following 8 courses: Course 1, thence North 07°16'41" West, 716.55 feet; Course 2, thence North 05°20'12" West, 1311.16 feet to a point on a curve concave Westerly having a radius of 23074.31 feet; Course 3, thence Northerly along the arc of said curve, through a central angle of 02°16'23", an arc length of 915.44 feet to a point on said curve, said arc being subtended by a chord bearing and distance of North 05°56'56" West, 915.38 feet; Course 4, thence North 03°34'41" West, 404.17 feet to a point on a curve concave Easterly having a radius of 1785.00 feet; Course 5, thence Northerly along the arc of said curve, through a central angle of 41°58'09", an arc length of 1307.51 feet to a point on said curve, said arc being subtended by a chord bearing and distance of North 13°08'08" East, 1278.48 feet; Course 6, thence North 34°07'10" East, 394.57 feet to the point of curvature of a curve concave Southeasterly having a radius of 1335.00 feet; Course 7, thence Northeasterly along the arc of said curve, through a central angle of 59°07'18", an arc length of 1377.54 feet to a point on said curve, said arc being subtended by a chord bearing and distance of North 63°40'49" East, 1317.24 feet; Course 8, thence North 88°53'52" East, 517.36 feet to a point lying on the Southerly limited access right of way line of J. Turner Butler Boulevard, State Road No. 202, a variable width limited access right of way as presently established; thence Easterly, along said Southerly limited access right of way line the following 5 courses: Course 1, thence Easterly, along the arc of a curve concave Southerly having a radius of 5529.58 feet, through a central angle of 02°49'28", an arc length of 272.59 feet to a point on said curve, said arc being subtended by a chord bearing and distance of South 80°20'54" East, 272.56 feet; Course 2, thence South 78°56'10" East, 94.86 feet; Course 3, thence South 73°00'23" East, 431.07 feet; Course 4, thence South 58°06'43" East, 213.98 feet; Course 5, thence South 73°00'23" East, 110.24 feet; thence South 01°22'57" West, departing said Southerly limited access right of way line, 542.41 feet to a point on a curve concave Southerly having a radius of 1167.50 feet; thence Easterly along the arc of said curve, through a central angle of 44°29'14", an arc length of 906.50 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of South 70°42'22" East, 883.90 feet; thence South 48°27'45" East, 644.57 feet to a point on a curve concave Northwesterly having a radius of 1653.99 feet; thence Northeasterly along the arc of said curve, through a central angle of 10°25'02", an arc length of 300.72 feet to a point lying on said Southerly limited access right of way line, said arc being subtended by a chord bearing and distance of North 37°42'38" East, 300.30 feet; thence South 70°56'02" East, along said Southerly limited access right of way line, 19.12 feet; thence North 19°03'58" East, continuing along said Southerly limited access right of way line, 229.26 feet; thence South 70°56'10" East, departing said Southerly limited access right of way line, 285.36 feet to the point of curvature of a curve concave Northerly having a radius of 441.00 feet; thence Easterly along the arc of said curve, through a central angle of 48°31'13", an arc length of 373.46 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of North 84°48'13" East, 362.40 feet; thence North 60°32'37" East, 468.74 feet to the point of

Revised July 19, 2019 April 30, 2019 Page 3 of 4

Work Order No. 19-078.01 File No. 125D-17.01A

Ryals Creek CDD (Continued)

curvature of a curve concave Southerly having a radius of 895.00 feet; thence Easterly along the arc of said curve, through a central angle of 14°18'03", an arc length of 223.39 feet to a point lying on said Southerly limited access right of way line, said arc being subtended by a chord bearing and distance of North 67°41'38" East, 222.81 feet; thence South 86°54'32" East, along said Southerly limited access right of way line, 1190.11 feet; thence South 18°25'21" East, departing said Southerly limited access right of way line, 771.56 feet; thence South 89°57'01" West, 339.18 feet; thence North 82°31'23" West, 246.53 feet; thence South 74°06'23" West, 375.50 feet; thence South 39°29'40" West, 312.89 feet; thence South 56°48'40" West, 205.79 feet; thence North 29°44'09" West, 78.04 feet to a point on a curve concave Northerly having a radius of 780.00 feet; thence Westerly along the arc of said curve, through a central angle of 04°26'06", an arc length of 60.38 feet to a point on said curve, said arc being subtended by a chord bearing and distance of South 72°24'01" West, 60.36 feet; thence North 15°22'56" West, 48.50 feet to a point on a curve concave Northerly having a radius of 731.50 feet; thence Westerly along the arc of said curve, through a central angle of 08°30'41", an arc length of 108.67 feet to a point of reverse curvature, said arc being subtended by a chord bearing and distance of South 78°52'25" West, 108.57 feet; thence Southwesterly along the arc of a curve concave Southeasterly having a radius of 1718.50 feet, through a central angle of 32°04'51", an arc length of 962.22 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of South 67°05'20" West, 949,70 feet; thence South 51°02'54" West, 134.27 feet to a point on a curve concave Northeasterly having a radius of 1000.00 feet; thence Northwesterly along the arc of said curve, through a central angle of 17°29'38", an arc length of 305.33 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of North 28°40'03" West, 304.14 feet; thence North 19°55'14" West, 248.02 feet to the point of curvature of a curve concave Southwesterly having a radius of 1000.00 feet; thence Northwesterly along the arc of said curve, through a central angle of 28°32'31", an arc length of 498.15 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of North 34°11'29" West, 493.01 feet; thence North 48°27'45" West, 589.38 feet to the point of curvature of a curve concave Southerly having a radius of 1132.50 feet; thence Westerly along the arc of said curve, through a central angle of 44°37'17", an arc length of 881.98 feet to a point on said curve, said arc being subtended by a chord bearing and distance of North 70°46'23" West, 859.86 feet; thence North 01°22'57" East, 17.55 feet to a point on a curve concave Southerly having a radius of 1150.00 feet; thence Westerly along the arc of said curve, through a central angle of 23°09'33", an arc length of 464.84 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of South 75°24'17" West, 461.68 feet; thence South 63°49'30" West, 456.96 feet; thence South 40°35'38" East, 163.67 feet; thence South 65°03'05" East, 360.26 feet; thence South 44°45'22" East, 137.62 feet; thence South 45°14'38" West, 457.01 feet; thence South 44°45'22" East, 506.02 feet; thence North 45°14'38" East, 164.01 feet; thence South 44°45'22" East, 304.42 feet to the point of curvature of a curve concave Northeasterly having a radius of 200.00 feet; thence Southeasterly along the arc of said curve, through a central angle of 20°05'59", an arc length of 70.16 feet to a point on said curve, said are being subtended by a chord bearing and distance of

Revised July 19, 2019 April 30, 2019 Page 4 of 4

Work Order No. 19-078.01 File No. 125D-17.01A


Ryals Creek CDD (Continued)

South 54°48'22" East, 69.80 feet; thence Southerly along the arc of a curve concave Easterly having a radius of 1000.00 feet, through a central angle of 47°23'29", an arc length of 827.13 feet to a point of reverse curvature, said arc being subtended by a chord bearing and distance of South 04°09'06" West, 803.76 feet; thence Southerly along the arc of a curve concave Westerly having a radius of 1000.00 feet, through a central angle of 15°50'52", an arc length of 276.59 feet to a point of compound curvature, said arc being subtended by a chord bearing and distance of South 11°37'13" East, 275.71 feet; thence Southerly along the arc of a curve concave Westerly having a radius of 1000.00 feet, through a central angle of 07°09'54", an arc length of 125.05 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of South 00°06'50" East, 124.97 feet; thence South 03°28'08" West, 45.63 feet; thence Due West, 900.86 feet; thence Due South, 2379.25 feet to the Point of Beginning.

Containing 417.68 acres, more or less.

SKETCH TO ACCOMPANY DESCRIPTION OF

A PORTION OF SECTIONS 8, 9, 16, AND 17, TOWNSHIP 3 SOUTH, RANGE 28 EAST, DUVAL COUNTY, FLORIDA, BEING A PORTION OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 17036, PAGE 2398, OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY, BEING MORE PARTICULARLY DESCRIBED IN SEPARATE ATTACHMENT.



CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
CI	2000.00'	6°08'51"	214.59'	N88'45'39"W	214.48'

LINE TABLE

LINE BEARING LENGTH

L1 S8875'27"W 268.53'

L2 N01'44'33"W 141.57'

L3 N85'41'13"W 241.67'

GENERAL NOTES:

1) THIS IS NOT A SURVEY.

2) BEARINGS BASED ON THE EASTERLY LINE OF SECTION 17 AS BEING NORTH 00'44'36" WEST.

SHEET 1 OF 4



THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED USING A DIGITAL SIGNATURE. PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

Survaying & Mapping, Inc.
VISION • EXPERIENCE • RESULTS

Digital Signature By: Damon J. Kelly, PSM

14775 Old St. Augustine Road, Jacksonville, FL. 32258 Tel: (904) 642–8550 Fax: (904) 642–4165 Certificate of Authorization No.: LB 3624


SCALE: 1°=1200'

DATE: APRIL 30, 2019

PROFESSIONAL SURVEYOR AND MAPPER STATE OF FLORIDA LAREGISER EXPEDIT

DAMON J. KELLY

A PORTION OF SECTIONS 8, 9, 16, AND 17, TOWNSHIP 3 SOUTH, RANGE 28 EAST, DUVAL COUNTY, FLORIDA, BEING A PORTION OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 17036, PAGE 2398, OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY.



o	250	500	1000
	20.40440	22445	
	GRAPHIC	SCALE IN 1"== 500"	FEET

	CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE	
C1	2000.00'	608'51"	214.59'	N88*45'39"W	214.48'	
C2	2000.00'	3'51'50"	134.87'	S8674'01"W	134.85	
C3	40.00*	89*24'49*	62.42'	N4674'29"W	56.28'	
C4	23074.31'	276'23"	915.44'	N05°56'56"W	915.38'	
C13	1000.00'	47"23'29"	827.13'	S04°09'06"W	803.76	
C14	1000.00*	15'50'52"	276.59'	S11°37'13"E	275.71	
C15	1000.00'	7'09'54"	125.05	500°06'50"E	124.97'	

LINE TABLE				
LINE	BEARING	LENGTH		
L4	S8478'06"W	507.68'		
L5	S89°03'07"W	434.31		
L6	S88'46'17"W	47.48'		
L7	S0173'43"E	75.04'		
L8	S8875'27"W	140.01*		
L9	S4375'27"W	39.60'		
L10	S8875'27"W	374.42*		
L11	N01'44'38"W	17.89'		
L12	S8875'30"W	134.06*		

SHEET 2 OF 4

SEE SHEET 1 FOR GENERAL NOTES.

PREPARED BY:

ETM SURVEYING & MAPPING, INC.
14775 OLD ST. AUGUSTINE ROAD
1ACKSONVALE, FL. 32285 (904) 842-8550
CERTIFICATE OF AUTHORIZATION NO. LB 3624

A PORTION OF SECTIONS 8, 9, 16, AND 17, TOWNSHIP 3 SOUTH, RANGE 28 EAST, DUVAL COUNTY, FLORIDA, BEING A PORTION OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 17036, PAGE 2398, OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY. J. TURNER BUTLER BOULEVARD (STATE ROAD No. 202) (VARIABLE WIDTH LA.R.W.) SIV LAR.W S78'56'10"E 94.86' POC N88'53'52"E S73'00'23'E 517.36 POC 431.07 R=5529.58 R=1335.00′ ∆=2'49'28" ∆=59°07'18" L=272.59' L=1377.54' CB=S80'20'54"E CB=N63'40'49"E R=1150.00 Section 9 CH=272.56 CH=1317.24' E A=23'09'33" L=464.84" CB=S75"24'17"W CH=461.68 SECTION 8 V34°07'10"E 394.57 POC SECTION 17 S63'49'30"W L21-456.96 S40'35'38"E 163.67 R=1785.00 ∆=41"58"09" S65'03'05"E L=1307.51 360.26 CB=N13'08'08'E CH=1278.48 O.R.B. 17036, PROPOSED RYALS PG. 2398 CREEK CDD 417.68 ACRES± POC Ę NO3'34'41"W PC ഹ 404.17 POC: MATCHLINE SEE SHEET 2 LEGEND: OFFICIAL RECORDS BOOK O.R.B. PG. PAGE R/W RIGHT OF WAY LIMITED ACCESS
RIGHT OF WAY
POINT OF CURVATURE
POINT OF TANGENCY
POINT ON CURVE LA.R.W. 500 1000 PC PT POC GRAPHIC SCALE IN FEET 1"= 500" CENTRAL ANGLE ARC LENGTH ARC LENGING
CHORD BEARING
CHORD DISTANCE
TABULATED CURVE DATA
FLORIDA DEPARTMENT
OF TRANSPORTATION CB CH C1 FDOT LINE TABLE CURVE TABLE BEARING LINE LENGTH CENTRAL CHORD CHORD CURVE RADIUS L13 S58'06'43"E 213.98 **ANGLE** LENGTH REARING DISTANCE C4 23074.31 276'23" 915.44 NO5'56'56"W 915.38 L14 57300'23"E 110.24 C5 1167.50 44"29'14" 906.50 S70'42'22"E 883.90 L21 NO1"22"57"E 17.55 C11 1132.50 44'37'17" 881.98 N70'46'23"W 859.86 L22 S44'45'22"E 137.62" C12 200.00 20°05'59" 70.16 S54'48'22"E 69.80 L23 N4574'38"E 164.01 C13 1000.00 47'23'29" 827.13 S04"09'06"W 803.76 L24 S44"45"22"E PREPARED BY: ETM SURVEYING & MAPPING, INC. SHEET 3 OF 4 14775 OLD ST. AUGUSTINE ROAD JACKSONVILLE, FL 32258 (904) 642-8550 CERTIFICATE OF AUTHORIZATION NO. LB 3824 SEE SHEET 1 FOR GENERAL NOTES. Revised Ext ORDER NO. 19-078.01 FIE NO. 1250-17.01A DRAWN SY. BAC CAD FIE L'SUPEY/NUAPFO/UNITED STATE DES CATEGORIST 19, 2019

A PORTION OF SECTIONS 8, 9, 16, AND 17, TOWNSHIP 3 SOUTH, RANGE 28 EAST, DUVAL COUNTY, FLORIDA, BEING A PORTION OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 17036, PAGE 2398. OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY. J. TURNER BUTLER BOULEVARD SHEET (STATE ROAD No. 202) (VARIABLE WIDTH L.A.R.W.) SECTION 9 S.ly L.A.R.W 1190.11 SECTION 16 PROPOSED FDOT RW TRANSFER PARCEL S86°54'32"F N82'31'23"W 246.53 PROPOSED RYALS 574'06'23"W CREEK CDD 375.50 417.68 ACRES± R=1000.00 S89°57'01"W ∆=28'32'31' 339.18 L=498.15' S39"29"40"W CB=N3471'29"W 312.89 CH=493.01' 119 N19'55'14"W S56'48'40"W 205.79' CS R=1718.50° 248.02 N29'44'08"W 78.04' A=32'04'51" L=962.22 R=1000.00' CB=S67'05'20"W A=17"29"38" CH=849.70 POC L=305.33' O.R.B. 17036, S51'02'54"W CB=N28'40'03"W PG. 2398 134.27 CH=304.14 LEGEND: O.R.B. OFFICIAL RECORDS BOOK OFFICIAL RECURUS BOD PAGE RIGHT OF WAY LIMITED ACCESS RIGHT OF WAY POINT OF TANGENCY POINT OF TANGENCY POINT OF REVERSE CURVATURE PARLIE PARLI PG. R/W LA.R.W. POC PRC 1000 R RADIUS A L CB CH CENTRAL ANGLE ARC LENGTH CHORD BEARING GRAPHIC SCALE IN FEET 1"= 500" CHORD DISTANCE TABULATED CURVE DATA TABULATED LINE DATA CURVE TABLE CENTRAL ARC CHORD CHORD CURVE RADIUS ANGLE LENGTH BEARING DISTANCE LINE TABLE C5 1167.50 44'29'14" 570'42'22"E 883.90 BEARING LENGTH 906.50 LINE C6 1653.99 10'25'02" 300.72 N37'42'38"E 300.30 L15 S48"27"45"E 644.57 C7 441.00 48'31'13" N84'48'13"E 373.46 362.40 L16 S70'56'02"E 19.12' C8 895.00 1478'03" N67'41'38"E L17 223.39 222.81 N19'03'58"E 229.26 C9 780.00 4'26'06" 60.38 S72"24"01"W 60.36 L18 S70'56'10"E 285.36 C10 731.50 8'30'41" 108 67 578°52'25"W 108.57 119 N15"22"56"W 48 50 C11 1132.50 44'37'17' 881.98 N70'46'23"W 859.86 L20 N48'27'45"W 589.38 PREPARED BY:

SHEET 4 OF 4

SEE SHEET 1 FOR GENERAL NOTES.

ETM SURVEYING & MAPPING, INC. 14775 OLD ST. AUGUSTINE ROAD
JACKSONVILLE, FL. 32238 (904) 642-8550
CERTIFICATE OF AUTHORIZATION NO. LB 3624

Revised Exit bit 2

ORDINANCE 2019-490-E

CERTIFICATE OF AUTHENTICATION

ENACTED BY THE COUNCIL

August 27, 2019

SCOTT WILSON
COUNCIL PRESIDENT

ATTEST:

DR. CHERYI L. BROWN COUNCIL SECRETARY AUG 3 0 2019

APPROVED: _

LENNY CURRY, MAYOR

